

Deltaspot 0.75%

Pour-on liquid



Category	Ectoparasiticide.	
Composition	Each one mL contains: Deltamethrin	7.5 mg
Group	Pyrethroid	

Mode of action:

An insecticide containing the active ingredient deltamethrin which is characterized by its effectiveness on the pests and low toxicity to mammals.

Properties:

- A ready-to-use insecticide, used directly to control ecto-parasites that infect goats, sheep, cows and camels.
- Attacks the parasites especially biting flies, lice, ticks, fleas and affects all stages.
- It is prepared as a rain-resistant liquid, acts within hours of its application.

Uses and application rates:

Target animal	Pest	Dosage	Frequency of application
Cattle, camels, sheep and goats	Biting flies and all kinds of flies.	10 ml / animal (less than 200 kg b. wt)	Use it 8-10 weeks, repeating depends on weather and fly species.
		20 ml / animal (200-300 kg b. wt)	
		30 ml / animal (more than 300 kg b. wt)	
	Ticks, lice, Fleas.	10 ml / animal (sheep & goats)	Use it 8-10 weeks. All in contact animals must be treated at the same time.
		15 ml / animal (more than 100 kg b. wt)	

Withdrawal periods:

None.

Compatibility:

It is not recommended to mix pesticides in the case of veterinary treatment.

Instructions:

- Used only on the animals listed above.
- It is used on the back of the animal starting from the head to the bottom of the tail. in the cows and camels from the top of the ankle according to height. in the sheep on area of shoulders and thighs and in heavy wool species, the shaving machine must reach to the surface of the body.
- Follow the recommended dose.
- Don't treat weak, sick, thirsty and tired animals.
- Sheep that were wool-mowed shouldn't be treated before 2 weeks of the last mowing.
- Animals that are less than 4 weeks age must be dealt cautiously.
- Don't use on birds.
- Don't eat, drink or smoke while spraying.
- Wear suitable protective clothing, spray mask and goggles when working in spray mist.
- Toxic to fish and bees.
- Avoid polluting ponds, ditches or water ways.
- Store in its original container, in a well ventilated place, out of reach of children, far away from direct sun, food, feed and drinks stores.